


FEED MIXER KNIVES




Fontana nr.:
90007

Description

Straight sleek blade
Holes dimension \varnothing 9 mm
thickness 3,0 mm

Utilisation




Fontana nr.:
90034
90034T

Toothed blade for vertical systems
3 x hole \varnothing 20,5 mm,
2 x hole \varnothing 12 mm
thickness 6,0 mm

Original nr.:
205001


90034T: blade with tungstene layer



Fontana nr.:
90117
90118

Toothed blade for vertical systems
90118 : blade with tungstene layer

Original nr.:
1030174




Fontana nr.:
90032
90032T

Toothed blade for vertical systems
3 x hole \varnothing 19,5 mm
thickness 5,0 / 6,0 mm

Original nr.:


90032T : blade with tungstene layer



Fontana nr.:
90046

Toothed blade
Two square holes 11 x 11 mm
Thickness 5,0 mm

Original nr.:
57243



Fontana nr.:
90018

Straight blade
Holes dimension \varnothing 8 mm
thickness 3,0 mm

Original nr.:

AGM

BELAIR

2

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation

BVL

DELAVAL

3



Fontana nr.:
90020-1

Description
Round blade
thickness 5,0 mm

Original nr.:
67598




Fontana nr.:
90021/11,5

Round blade
hole 11,5x11,5
thickness 5,0 mm

Original nr.:
65598


Fontana nr.:
90270

Original nr.:
91065



Fontana nr.:
90206

Original nr.:
21591065



Fontana nr.:
90258T

Toothed blade for vertical systems
thickness 5,0 mm
version with tungstene-carbide layer

Original nr.:
184020373

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic


Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90007

Description

Straight sleek blade
Hole dimensions Ø 9 mm
thickness 3,0 mm


Original nr.:
30842.8750



Fontana nr.:
90008

Straight toothed blade
Hole dimensions Ø 9 mm
thickness 3,0 mm

Original nr.:




Fontana nr.:
90009
90009S

Bent blade
Hole dimensions Ø 9 mm
thickness 3,0 mm

90009S: Bent toothed blade


Original nr.:



Fontana nr.:
90027

Semicircle sleek blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:
308416650




Fontana nr.:
90029
90029-1

Toothed blade
Type: left / right
Square holes 11 x 11 mm
thickness 5,0 mm

Original nr.:
30845.9950
30845.8750

90029: right
90029-1: left (picture)



Fontana nr.:
90034
90034/O
90034T

Toothed blade for vertical systems
3 x hole Ø 20,5 mm,
2 x hole Ø 12 mm
thickness 6,0 mm

Original nr.:
51200.6450

90034/O: opposite blade
90034T: blade with tungstene layer

FARESIN

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk




FEED MIXER KNIVES

Fontana nr.:

90034.02
90034.02T

Original nr.:

514007850
514007950



Description

Toothed blade for vertical systems with square holes thickness 6,0 mm

90034.02T: blade with tungstene layer


Utilisation

Fontana nr.:

90034.05PT
90034.05LT

Original nr.:

514007946
609091146




Toothed blade for vertical systems with square holes with tungstene layer thickness 6,0 mm

90034.05LT: opposite blade

Fontana nr.:

90007/4

Original nr.:




Straight sleek blade
Hole dimensions \varnothing 9 mm
thickness 4,0 mm

Used for self-propelled wagons

Fontana nr.:

90009/4

Original nr.:



Bent blade
Hole dimensions \varnothing 9 mm
thickness 4,0 mm

Used for self-propelled wagons

FARESIN

5

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063


E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90018

Description

Straight blade
Holes dimension \varnothing 8 mm
thickness 3,0 mm

Original nr.:
3000655



Fontana nr.:
90019

Bent blade
Holes dimension \varnothing 8 mm
thickness 3,0 mm

Original nr.:
3000656



Fontana nr.:
90021

Sleek round blade
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:
3001689



Fontana nr.:
90022

Square hole 11 x 11 mm
thickness 5,0 mm

Original nr.:



Fontana nr.:
90025
90025-1

Toothed blade
Holes dimensions:
hole **no.1**: 11 x 25 mm
hole **no.2**: 11 x 30 mm
thickness 5,0 mm
90025: right (picture)
90025-1: left

Original nr.:
3000461
3000581



Fontana nr.:
90038

Toothed blade
Square hole 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:

HIMEL / GILIOLOI / ITALMIX

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES


Utilisation

HIMEL / GILIOLO / ITALMIX

EUROCOMP

HI-SPEC

7



Fontana nr.:


90040

Description

Toothed blade
thickness 5,0 mm

Original nr.:

DSX00-03-487




Fontana nr.:

90042
90042-1

Toothed blade,
Holes dimension: 19 x 12 mm
thickness 5,0 mm

90042: right (picture)
90042-1: left

Original nr.:




Fontana nr.:

90036Z

Semicircular toothed blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:



Fontana nr.:

90034
90034T

Toothed blade for vertical systems
3 x hole Ø 20,5 mm,
2 x hole Ø 12 mm
thickness 6,0 mm

Original nr.:

90034T: blade with tingstene layer




Fontana nr.:

90021-1

Sleek round blade
Round hole Ø 10,5 mm
thickness 5,0 mm

Original nr.:



Fontana nr.:

90052

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:

VTF021B

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk




FEED MIXER KNIVES



Fontana nr.:
90208

Description
thickness 8,0 mm


Original nr.:
1380-0034



Fontana nr.:
90221

Knife with tungstene layer
thickness 8,0 mm

Original nr.:
1380-0040



Fontana nr.:
90053

Toothed blade for vertical systems
4 square holes 14 x 14 mm
thickness 6,0 mm

Original nr.:

Utilisation

JF STOLL

JAYLOR

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic


Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation



Fontana nr.:
90043

Description

Toothed blade
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:
701358



Fontana nr.:
90066

Toothed blade - New Type
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:
703957



Fontana nr.:
90043-1

Toothed blade
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:
701359



Fontana nr.:
90066-1

Toothed blade - New Type
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm

Original nr.:
703956



Fontana nr.:
8025-1

Top knife

Original nr.:
704229



Fontana nr.:
8025

Top knife

Original nr.:
701518

KEENAN

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90016

Description

Straight blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm

Utilisation


Original nr.:
A7153002



Fontana nr.:
90017

Bent blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm


Original nr.:
A7153001



Fontana nr.:
90023/12,5

Round hole Ø 12,5 mm
thickness 5,0 mm


Original nr.:
A7153000



Fontana nr.:
90023-1/12,5

Round hole Ø 12,5 mm
thickness 5,0 mm


Original nr.:
A7153011



Fontana nr.:
90044

Toothed blade
Two square holes 20 x 13 mm
thickness 6,0 mm

Original nr.:
A5306460



Fontana nr.:
90045

Toothed blade
Two square holes 20 x 13 mm
Thickness 6,0 mm

Original nr.:
A5310402

KUHN

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic


Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90047

Description

Toothed blade for vertical systems
thickness 8,0 mm

Original nr.:
A5302190



Fontana nr.:
90054

Toothed blade for vertical systems
thickness 6,0 mm


Original nr.:
41.196-C



Fontana nr.:
90090

Semicircular sleek blade
Square holes 12 x 12 mm
thickness 5,0 mm


Original nr.:
A5310403



Fontana nr.:
90091

Toothed blade for verticals systems
Round holes Ø 17 mm
Ellipse hole 17x21mm
thickness 8,0 mm


Original nr.:
A5303620



Fontana nr.:
90237

Triangle blade
Two square holes 9 x 9 mm
thickness 5,0 mm

Original nr.:
A7153021



Fontana nr.:
90263

Pentagon blade
Square hole 10 x 10 mm
Thickness 5,0 mm

Original nr.:
A7153012

KUHN

11

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:
90279

Original nr.:
A5310401

Description

Toothed blade for vertical systems
thickness 6,0 mm

Utilisation

KUHN

12

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic


Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90001

Description

Straight blade
Holes dimension \varnothing 6,5 mm
Holes distance - 30 mm
Thickness 3,0 mm

Original nr.:
A5302190



Fontana nr.:
90002
90002-1 L/R

Bent blade
Type : right / left / center
Holes dimension \varnothing 6,5 mm
thickness 3,0 mm

Original nr.:
41.196-C



Fontana nr.:
90020

Sleek round blade
Saturated hole \varnothing 10,5 mm
thickness 5,0 mm


Original nr.:
67598



Fontana nr.:
90022-1

Saturated hole \varnothing 10,5 mm
thickness 5,0 mm

Original nr.:
110010015




Fontana nr.:
90024
90024-1

Toothed blade
Holes dimensions:
hole **no.1**: 12 x 24 mm
hole **no.2**: 12 x 29 mm
thickness 5,0 mm

Original nr.:
110010037
110010038

90024: right (picture)
90024-1: left



Fontana nr.:
90031
90031/O
90031T

Toothed blade for vertical systems
3 x hole \varnothing 18,5 mm
thickness 5,0 / 6,0 mm

Original nr.:

90031/O: opposite blade
90031T: blade with tungstene layer

LUCLAR / MUTTI

13

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:


90032

Original nr.:

Description

Toothed blade for vertical systems
3 x hole Ø 19,5 mm
thickness 5,0 / 6,0 mm

Utilisation



Fontana nr.:

90165

Original nr.:

thickness 5,0 mm

LUCLAR / MUTTI

14

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90018

Description

Straight blade
Holes dimension \varnothing 8 mm
thickness 3,0 mm

Utilisation


Original nr.:



Fontana nr.:
90019

Bent blade
Holes dimension \varnothing 8 mm
thickness 3,0 mm


Original nr.:



Fontana nr.:
90026

Toothed blade
Square holes 11 x 11 mm
thickness 5,0 mm

Original nr.:
128/2



Fontana nr.:
90026P

Toothed blade
thickness 5,0 mm


Original nr.:



Fontana nr.:
90021

Sleek round blade
Square hole 11 x 11 mm
thickness 5,0 mm

Original nr.:



Fontana nr.:
90166

Toothed blade for vertical systems
thickness 5,0 mm

Original nr.:
16800066

MARMIX

15

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:

90022

Original nr.:

Description

Square hole 11 x 11 mm
thickness 5,0 mm

Utilisation



Fontana nr.:

90028

Original nr.:

Semicircular sleek blade
Round holes 3 x Ø 16 mm
thickness 6,0 mm

MARMIX

16

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90055
90055T

Description

Toothed blade for vertical systems
 thickness 5,0 mm

Utilisation


Original nr.:
1050254
1050255



Fontana nr.:
90056
90056T

Toothed blade for vertical systems
 thickness 5,0 mm


Original nr.:
1050030
1050170



Fontana nr.:
90057
90057T

Toothed blade for vertical systems
 thickness 8,0 mm

Original nr.:
1050622



Fontana nr.:
90065

Toothed blade for vertical systems
 thickness 5,0 mm

Original nr.:
300107



Fontana nr.:
90282

Miller blade
 Round holes 2 x Ø 10,5 mm
 thickness 5,0 mm
 with tungstene layers

Original nr.:

MAYER

17

Address:

Mokrad' 498, 026 01 Dolný Kubín,
 Slovak Republic

Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:
90042
90042-1


Original nr.:

Description

Toothed blade,
 Holes dimension: 19 x 12 mm
 thickness 5,0 mm

90042: right (picture)
 90042-1: left


Utilisation



Fontana nr.:
90031

Original nr.:


Toothed blade for vertical systems
 3 x hole Ø 18,5 mm
 thickness 5,0 / 6,0 mm



Fontana nr.:
90033

Original nr.:


Toothed blade for vertical systems
 3 x hole Ø 21,5 mm
 thickness 6,0 mm



Fontana nr.:
90032

Original nr.:


Toothed blade for vertical systems
 3 x hole Ø 19,5 mm
 thickness 5,0 / 6,0 mm



Fontana nr.:
90178

Original nr.:

Toothed blade for vertical systems
 3 x saturated hole Ø 11 mm
 thickness 6,0 mm



Fontana nr.:
90179

Original nr.:

Toothed blade for vertical systems
 3 x saturated hole Ø 11 mm
 thickness 6,0 mm

OMAS

PAGLIARI

28

Address:

Mokrad' 498, 026 01 Dolný Kubín,
 Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90011

Description

Bent blade right
holes dimension \varnothing 6,5 mm

Utilisation


Original nr.:



Fontana nr.:
90011-1

Bent blade left
holes dimension \varnothing 6,5 mm


Original nr.:



Fontana nr.:
90011/8,5

Bent blade right
holes dimension \varnothing 8,5 mm


Original nr.:
1050255



Fontana nr.:
90011-1/8,5

Bent blade left
holes dimension \varnothing 8,5 mm


Original nr.:
1050030



Fontana nr.:
90012

Bent blade
Holes dimension \varnothing 8,0 mm
thickness 3,0 mm

Original nr.:
244790436



Fontana nr.:
90023

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm

Original nr.:
244790102

SEKO

19

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063


E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90023-1

Description

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm

Original nr.:



Fontana nr.:
90035

SEKO star
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:
244790541



Fontana nr.:
90060

SEKO star II.
Square hole 16 x 16 mm
thickness 8,0 mm


Original nr.:
244790574



Fontana nr.:
90061

SEKO star III.
Square hole 16,5 x 16,5 mm
thickness 8,0 mm


Original nr.:
24479032



Fontana nr.:
90089
90050

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:
244790033
244790030



Fontana nr.:
90051

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:
244790600

SEKO

20

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063


E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90007/6,5

Description

Straight blade
Holes dimension 2 x Ø 6,5 mm
thickness 3,0 mm


Original nr.:
CL07.027



Fontana nr.:
90009/6,5

Bent blade
Holes dimension 2 x Ø 6,5 mm
thickness 3,0 mm

Original nr.:
CL 07.026




Fontana nr.:
90041
90041-1

Toothed blade, 2 or 3 holes,
Holes dimension: 18 x 13 mm
thickness 5,0 mm

Original nr.:


90041: right (picture)
90041-1: left



Fontana nr.:
90001

Straight blade
Holes dimension Ø 6,5 mm
Holes distance - 30 mm
Thickness 3,0 mm


Original nr.:
CL 07.040



Fontana nr.:
90002

Bent blade
Type: right / left / center
Holes dimension Ø 6,5 mm
thickness 3,0 mm

Original nr.:
CL 07.041



Fontana nr.:
90125

Toothed blade
Holes dimension: 18 x 13 mm
thickness 5,0 mm

Original nr.:
CL 04.014

SGARIBOLDI

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk


Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation

SGARIBOLDI




Fontana nr.:
90126

Description

Toothed blade
Holes dimension: 18 x 13 mm
thickness 5,0 mm

Original nr.:
CL 04.008




Fontana nr.:
90128

Straight blade - right

The blade is standardly provided with tungstene layer on the back side

Original nr.:
CL 07.006




Fontana nr.:
90129

Bent blade - right

The blade is standardly provided with tungstene layer on the back side

Original nr.:
CL 07.023




Fontana nr.:
90130

Straight blade - left

The blade is standardly provided with tungstene layer on the back side

Original nr.:
CL 07.007




Fontana nr.:
90131

Bent blade - left

The blade is standardly provided with tungstene layer on the back side

Original nr.:
CL 04.024



Fontana nr.:
90134

Toothed blade
Holes dimensions: Ø 13 mm
thickness 6,0 mm

Original nr.:
CL 00.001A

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90135

Original nr.:
CL 04.016

Description

Utilisation




Fontana nr.:
90232

Original nr.:
CL 07.001

Bent blade right
Holes dimension \varnothing 6,5 mm
thickness 4,0 mm

Used for self-propelled wagons



Fontana nr.:
90231

Original nr.:
CL 07.002

Bent blade left
Holes dimension \varnothing 6,5 mm
thickness 4,0 mm

Used for self-propelled wagons

SGARIBOLDI

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic


Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation



Fontana nr.:

90105

90106

Original nr.:

16800030

16800030T

Description

Bent blade

Holes dimension 2 x Ø 8,5 mm
thickness 5,0 mm

90106 : blade with tungstene layer



Fontana nr.:

90021

Original nr.:

16800020

Sleek round blade

Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.:


90022

Original nr.:

16800014

Toothed blade

Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.:

90036

Original nr.:

1000016

Semicircular sleek blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm




Fontana nr.:

90036-1

Original nr.:

Semicircular sleek blade
Tearful round holes Ø 12 »8 mm
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.:

90030

90030-1

Original nr.:

16800046

16800045

Toothed blade

Type : left / right

Square holes 12 x 12 mm
thickness 5,0 mm

90030 : right

90030-1: left (picture)

STORTI / FRASTO / WALKER

24

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk


Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation

STORTI / FRASTO / WALKER




Fontana nr.:
90001

Description

Straight blade
Holes dimension \varnothing 6,5 mm
Holes distance - 30 mm
Thickness 3,0 mm


Original nr.:
16800008



Fontana nr.:
90003

Straight blade
Holes dimension 6 x 6,25 mm
thickness 3,0 mm


Original nr.:
16800026



Fontana nr.:
90014

Bent blade right
Holes dimension \varnothing 6,5 mm
thickness 3,0 mm


Original nr.:
16800013



Fontana nr.:
90013

Bent blade left
Holes dimension \varnothing 6,5 mm
thickness 3,0 mm

Original nr.:
16800012



Fontana nr.:
90103
90104

Straight blade
Holes dimension 2 x \varnothing 8,5 mm
thickness 5,0 mm

90104: blade with tungstene layer

Original nr.:
16800029
16800029T

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063


E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation



Fontana nr.:

90058
90058-1


Description

Toothed blade
Type: left / right
Tearful round hole \varnothing 12 »8 mm
thickness 5,0 mm

Original nr.:

16800059
16800058

90058: right
90058-1: left (picture)




Fontana nr.:

90037

Semicircular sleek blade
Square holes 12 x 12 mm
thickness 5,0 mm

Original nr.:

16800039




Fontana nr.:

90059

Semicircular sleek blade
Tearful round hole \varnothing 12 »8 mm
thickness 5,0 mm

Original nr.:

16800061




Fontana nr.:

90067

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:




Fontana nr.:

90068

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:

168000401



Fontana nr.:

90032

Toothed blade for vertical systems
3 x hole \varnothing 19,5 mm
thickness 5,0 / 6,0 mm

Original nr.:

16800045

STORTI / FRASTO / WALKER

26

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk


Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation

STORTI / FRASTO / WALKER



Fontana nr.:
90182

Description

Toothed blade
Tearful round hole \varnothing 12 »8 mm
thickness 5,0 mm

Original nr.:
16800139



Fontana nr.:
90164


Counter-knife
Thickness 4,0 mm

Original nr.:
10000485



Fontana nr.:
90207


Original nr.:
16800162



Fontana nr.:
90203

Toothed blade for vertical systems
thickness 5,0 mm
2 x hole 11 x 30 mm

Original nr.:
1680017



Fontana nr.:
90204

Toothed blade for vertical systems
thickness 5,0 mm
Hole 11 x 30 mm
2 x hole \varnothing 12,5 mm

Original nr.:
1680033

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063


E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation




Fontana nr.:
90023

Description

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:
21803501



Fontana nr.:
90023-1

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:



Fontana nr.:
90023-2

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:
60503500



Fontana nr.:
90023/12,5

Square sleek blade
Round hole Ø 12,5 mm
thickness 5,0 mm

Original nr.:




Fontana nr.:
90119

Toothed blade for vertical systems
thickness 5,0 mm

3 x saturated hole Ø 20 mm
1 x saturated hole Ø 11 mm

Original nr.:
60103504



Fontana nr.:
90174

Toothed blade for vertical systems
thickness 8,0 mm

3 x hole Ø 18 mm
1 x saturated hole Ø 11 mm

Original nr.:
60903501

STRAUTMANN

28

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES

Utilisation



Fontana nr.:

90123
90123/O


Description

Toothed blade for vertical systems
thickness 8,0 mm

90123/O: opposite blade

Original nr.:

60903500
60103501




Fontana nr.:

90183

thickness 8,0 mm

Original nr.:

60903500



Fontana nr.:

90256R
90256L

versions with tungstene-carbide layer

90256TR
90256TL

Original nr.:

60603503
60603502

STRAUTMANN

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:
90063

Description

Toothed blade for vertical systems
3 x hole Ø 19 mm
1 x hole Ø 12 mm
thickness 6,0 mm

Utilisation


Original nr.:
121803501



Fontana nr.:
90064

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:
MR 09006



Fontana nr.:
90119

Toothed blade for vertical systems
thickness 5,0 mm
3 x saturated hole Ø 20 mm
1 x saturated hole Ø 11 mm

Original nr.:



Fontana nr.:
90219

Original nr.:

TATOMA

30

Address:


Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064
Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk
Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90062

Original nr.:
31841

Description

Toothed blade for vertical systems
2 x hole Ø 12 mm
1 x hole Ø 10 mm
thickness 6,0 mm / 8,0 mm


Utilisation



Fontana nr.:
90122

Original nr.:

Toothed blade for vertical systems
2 x hole Ø 18 mm
1 x hole Ø 8 mm
thickness 8,0 mm



Fontana nr.:
90184

Original nr.:
31639

thickness 6,0 mm

TRIOLET

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES



Fontana nr.:
90004

Description

Straight blade
Holes dimension 2 x Ø 8 mm
thickness 3,0 mm

Original nr.:

Utilisation


ROTOMIX



Fontana nr.:
90039

Sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm


Original nr.:



Fontana nr.:
90016

Straight blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm


Original nr.:



Fontana nr.:
90017

Bent blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm


Original nr.:



Fontana nr.:
90012

Bent blade
Holes dimension Ø 8,0 mm
thickness 3,0 mm

Original nr.:



Fontana nr.:
90023

Square sleek blade
Square hole 11 x 11 mm
thickness 5,0 mm

Original nr.:

ZAGO

32

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064


Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



FEED MIXER KNIVES




Fontana nr.:
90107

Description

Toothed blade for vertical systems
thickness 6,0 mm

Utilisation


Original nr.:



Fontana nr.:
90115

Toothed blade for vertical systems
thickness 6,0 mm


Original nr.:



Fontana nr.:
90124

Toothed blade for vertical systems
thickness 6,0 mm


Original nr.:



Fontana nr.:
90048

Toothed blade for vertical systems
thickness 6,0 mm


Original nr.:
210CV50



Fontana nr.:
90049

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:
210CV70



Fontana nr.:
90114

Toothed blade for vertical systems
thickness 6,0 mm

Original nr.:

UNIVERSAL

UNIFROST

33

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk



SUPPORTS

Various types



Fontana nr.:

1-E-00

1-E-01

1-E-04

1-E-05

1-E-06

1-E-07

1-E-08

1-E-09

1-E-10

1-E-11

1-E-12

1-E-13

1-E-14

1-E-17

Description

Universal support for 90032/90034

Support for blade 90034

Support for blade 90031

Support for blade 90032

Support for blade 210CV25

Support for blade 90055

Support for blade 90057

Support for blade 90032/ITALMIX

Support for blade 90049

Support for blade 90056

Support for blade 90062

Support for blade 90054

Support for blade 90167

Support for blade 90051

Address:

Mokrad' 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

Web: www.fontana-dk.sk





FONTANA

QUALITY - RELIABILITY - FLEXIBILITY

Address:

FONTANA, a.s.
Mokrad' 498
026 01 Dolný Kubín
Slovak Republic

Phone: +421 43 586 4064

Fax: +421 43 586 4063

E-mail: sales@fontana-dk.sk

www.fontana-dk.sk

