
FEED MIXER KNIVES




Fontana nr.: 90007

Original nr.:

Description:
Straight blade
Holes dimension Ø 9 mm
thickness 3,0 mm

AGM




Fontana nr.: 90034, 90034T

Original nr.: 205001

Toothed blade for vertical systems
3 x hole Ø 20,5 mm,
2 x hole Ø 12 mm
thickness 6,0 mm

90034T: blade with tungsten layer




Fontana nr.: 90117, 90118

Original nr.: 1030174

Toothed blade for vertical systems

90118 : blade with tungstene layer




Fontana nr.: 90032, 90032T

Original nr.:

Toothed blade for vertical systems
3 x hole Ø 19,5 mm
thickness 5,0 / 6,0 mm

90032T : blade with tungstene layer


BELAIR



Fontana nr.: 90046

Original nr.: 57243

Straight blade
Two square holes 11 x 11 mm
Thickness 5,0 mm



Fontana nr.: 90018

Original nr.:

Straight blade
Holes dimension Ø 8 mm
thickness 3,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.: 90020-1
Original nr.: 67598

Description:
Round blade
thickness 5,0 mm




Fontana nr.: 90021/11,5
Original nr.: 65598

Round blade
hole 11,5x11,5
thickness 5,0 mm


Fontana nr.: 90270
Original nr.: 91065

Toothed blade for vertical systems
thickness: 6,0 mm



Fontana nr.: 90206
Original nr.: 21591065

Toothed blade for vertical systems
thickness: 6,0 mm



Fontana nr.: 90258T
Original nr.: 184020373

Toothed blade for vertical systems
thickness 5,0 mm
version with tungstene-carbide layer

BVL


DELAVAL

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90007

Original nr.:
30842.8750


Description:
Straight blade
Hole dimensions Ø 9 mm
thickness 3,0 mm



Fontana nr.:
90008

Original nr.:

Straight toothed blade
Hole dimensions Ø 9 mm
thickness 3,0 mm




Fontana nr.:
90009
90009S

Original nr.:
30842.8650

Bent blade
Hole dimensions Ø 9 mm
thickness 3,0 mm


90009S: Bent toothed blade



Fontana nr.:
90027

Original nr.:
308416650

Semicircle straight blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm




Fontana nr.:
90029
90029-1

Original nr.:
30845.9950
30845.8750

Toothed blade
Type: left / right
Square holes 11 x 11 mm
thickness 5,0 mm

90029: right
90029-1: left (picture)



Fontana nr.:
90034
90034/O
90034T

Original nr.:
51200.6450
512001550

Toothed blade for vertical systems
3 x hole Ø 20,5 mm,
2 x hole Ø 12 mm
thickness 6,0 mm

90034/O: opposite blade
90034T: blade with tungstene layer


FARESIN

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.:
90034.02P
90034.02PT

Original nr.:
514007850
514007950

Description:
Toothed blade for vertical systems
with square holes
thickness 6,0 mm

90034.02PT: blade with tungstene layer

version with tungstene layer




Fontana nr.:
90034.02L-left
90034.02LT

Original nr.:
609093950
609091150

Toothed blade for vertical systems
with square holes - oposite side
thickness 6,0 mm

90034.02LT: blade with tungstene layer

version with tungstene layer




Fontana nr.:
90034.05PT
90034.05LT

Original nr.:
514007946
609091146

Toothed blade for vertical systems
with square holes with tungstene layer
thickness 6,0 mm

90034.05LT: opposite blade




Fontana nr.:
90009/4

Original nr.:

Bent blade
Hole dimensions Ø 9 mm
thickness 4,0 mm

Used for self-propelled wagons



Fontana nr.:
90281

Original nr.:
1310030009C

Toothed blade for vertical systems
thickness 8,0 mm
Version with tungsten layer

FARESIN


GYRAX 4

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063


E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.: 90018
Original nr.: 3000655

Description:
Straight blade
Holes dimension Ø 8 mm
thickness 3,0 mm



Fontana nr.: 90019
Original nr.: 3000656

Bent blade
Holes dimension Ø 8 mm
thickness 3,0 mm




Fontana nr.: 90021
Original nr.: 3001689

Round blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90022
Original nr.:

Square hole 11 x x11 mm
thickness 5,0 mm



Fontana nr.: 90025
90025-1
Original nr.: 3000461 3000581

Toothed blade
Holes dimensions:
hole no.1: 11 x 25 mm
hole no.2: 11 x 30 mm
thickness 5,0 mm
90025: right (picture)
90025-1: left



Fontana nr.: 90038
Original nr.:


Toothed blade
Square hole 11 x 11 mm
thickness 5,0 / 6,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90040

Original nr.:
DSX00-03-487

Description:
Toothed blade
thickness 5,0 mm




Fontana nr.:
90042
90042-1

Original nr.:

Toothed blade,
Holes dimension: 19 x 12 mm
thickness 5,0 mm


90042: right (picture)
90042-1: left



Fontana nr.:
90036Z

Original nr.:

Semicircular toothed blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.:
90034
90034T

Original nr.:

Toothed blade for vertical systems
3 x hole Ø 20,5 mm,
2 x hole Ø 12 mm
thickness 6,0 mm

90034T: blade with tingstene layer



Fontana nr.:
90021-1

Original nr.:

Round blade
Round hole Ø 10,5 mm
thickness 5,0 mm



Fontana nr.:
1-E-02

Original nr.:


Toothed blade for horizontal systems
thickness 8,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063


E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.: 90052
Original nr.: VTF/0009

Description:
Toothed blade for vertical systems
thickness 6,0 mm




Fontana nr.: 90208
Original nr.: 1380-0034

Toothed blade for vertical systems
thickness 8,0 mm



Fontana nr.: 90221
Original nr.: 1380-0040

Knife with tungstene layer
Toothed blade for vertical systems
thickness 8,0 mm



Fontana nr.: 90053
Original nr.: AAA-005-00226

Toothed blade for vertical systems
4 square holes 14 x 14 mm
thickness 6,0 mm



Fontana nr.: 90309
Original nr.: AAB-005-00004


Toothed blade for vertical systems
3 square holes 14 x 14 mm,
thickness 6,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90043

Original nr.: 701358

Description:
Toothed blade
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 90066

Original nr.: 703957


Toothed blade - New Type
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 90043-1

Original nr.: 701359

Toothed blade
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 90066-1

Original nr.: 703956

Toothed blade - New Type
Two square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 8025-1

Original nr.: 704229

Top knife



Fontana nr.: 8025

Original nr.: 701518

Top knife


KEENAN

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063


E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.: 90016
Original nr.: A7153002

Description:
Straight blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm




Fontana nr.: 90017
Original nr.: A7153001

Bent blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm




Fontana nr.: 90023/12,5
Original nr.: A7153000

Round hole Ø 12,5 mm
thickness 5,0 mm




Fontana nr.: 90023-1/12,5
Original nr.: A7153011

Round hole Ø 12,5 mm
thickness 5,0 mm



Fontana nr.: 90044
Original nr.: A5306460

Toothed blade
Two square holes 20 x 13 mm
thickness 6,0 mm



Fontana nr.: 90045
Original nr.: A5310402

Toothed blade
Two square holes 20 x 13 mm
Thickness 6,0 mm


KUHN

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.:
90047
90047 T

Original nr.:
A5302190

Description:
Toothed blade for vertical systems
thickness 8,0 mm


Version with tungsten layer



Fontana nr.:
90047 L

Original nr.:
A5362450

Toothed blade for vertical system
thickness 8,0 mm




Fontana nr.:
90047 LT

Original nr.:
A5366700 /
A5365240

Toothed blade for vertical systems
thickness 8,0 mm


Version with tungsten layer



Fontana nr.:
90054

Original nr.:
41.196-C


Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.:
90090

Original nr.:
A5310403

Semicircular straight blade
Square holes 12 x 12 mm
thickness 6,0 mm



Fontana nr.:
90091

Original nr.:
A5362460 /
A5375590

Toothed blade for verticals systems
Round holes Ø 17 mm
Ellipse hole 17x21mm
thickness 8,0 mm


KUHN

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063


E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.: 90091 L
Original nr.: A5303620

Description:
Toothed blade for vertical systems
thickness 8,0 mm




Fontana nr.: 90237
Original nr.: A7153021

Triangle blade
Two square holes 9 x 9 mm
thickness 5,0 mm

Fontana nr.: 90237.01
Original nr.: A7153021

Bent version




Fontana nr.: 90263
Original nr.: A7153012

Hexagon blade
Square hole 10 x 10 mm
thickness 5,0 mm




Fontana nr.: 90279
Original nr.: A5310401

Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90249
Original nr.: A 5335160

Toothed blade for vertical systems
thickness 10,0 mm
Version with tungsten layer



Fontana nr.: 90227
Original nr.: KD1560177


Toothed blade for horizontal systems
thickness 6,0 mm
2 square holes 10,5 x 10,5 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90318

Original nr.:

Description:
Straight blade
2 holes dimension 43 x 10,5 mm
Thickness 5,0 mm




Fontana nr.: 90287

90287.01

Original nr.:


Straight blade
2 holes dimensions 6,5 mm or 8,0 mm
Bended version



Fontana nr.: 90001

Original nr.: 110010040

Straight blade
Holes dimension Ø 6,5 mm
Holes distance - 30 mm
Thickness 3,0 mm



Fontana nr.: 90002
90002-1 L/R

Original nr.: 110010050
110010050 Sx/Dx

Bent blade
Type : right / left / center
Holes dimension Ø 6,5 mm
thickness 3,0 mm



Fontana nr.: 90020

Original nr.:

Round blade
Countersunk hole Ø 10,5 mm
thickness 5,0 mm



Fontana nr.: 90022-1

Original nr.: 110010015


Countersunk hole Ø 10,5 mm
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.:
90024
90024-1

Original nr.:
110010037
110010038

Description:
Toothed blade
Holes dimensions:
hole **no.1**: 12 x 24 mm
hole **no.2**: 12 x 29 mm
thickness 5,0 mm

90024: right (picture)
90024-1: left




Fontana nr.:
90031
90031/O
90031T

Original nr.:

Toothed blade for vertical systems
3 x hole Ø 18,5 mm
thickness 5,0 / 6,0 mm


90031/O: opposite blade
90031T: blade with tungstene layer



Fontana nr.:
90032

Original nr.:

Toothed blade for vertical systems
3 x hole Ø 19,5 mm
thickness 5,0 / 6,0 mm



Fontana nr.:
90165

Original nr.:


Toothed blade for horizontal systems
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90018

Original nr.:


Description:
Straight blade
Holes dimension Ø 8 mm
thickness 3,0 mm



Fontana nr.: 90019

Original nr.:


Bent blade
Holes dimension Ø 8 mm
thickness 3,0 mm



Fontana nr.: 90026

Original nr.: 128/2


Toothed blade
Square holes 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90026P

Original nr.:


Toothed blade
thickness 5,0 mm



Fontana nr.: 90021

Original nr.:

Round blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90166

Original nr.: 16800066

Toothed blade for vertical systems
thickness 5,0 mm

MARMIX

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90022

Original nr.:

Description:
Square hole 11 x x11 mm
thickness 5,0 mm



Fontana nr.: 90028

Original nr.:


Semicircular straight blade
Round holes 3 x Ø 16 mm
thickness 6,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90055
90055T

Original nr.:
1050254
1050255


Description:
Toothed blade for vertical systems
thickness 5,0 mm



Fontana nr.:
90056
90056T

Original nr.:
1050030
1050170


Toothed blade for vertical systems
thickness 5,0 mm



Fontana nr.:
90057
90057T

Original nr.:
1050622

Toothed blade for vertical systems
thickness 8,0 mm



Fontana nr.:
90065

Original nr.:
300107

Toothed blade for vertical systems
thickness 5,0 mm


version with tungsten-carbide layer



Fontana nr.:
90282

Original nr.:
KDM 4120200951

Miller blade
Round holes 2 x Ø 10,5 mm
thickness 5,0 mm
with tungstene layers



Fontana nr.:
90284

Original nr.:
714481

Straight blade with tungstene layer
2 holes dimensions 8,5 mm
thickness 5,0 mm

MAYER

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.: 90042, 90042-1

Original nr.:

Description:
Toothed blade,
Holes dimension: 19 x 12 mm
thickness 5,0 mm


90042: right (picture)
90042-1: left



Fontana nr.: 90031

Original nr.:


Toothed blade for vertical systems
3 x hole Ø 18,5 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 90033

Original nr.:


Toothed blade for vertical systems
3 x hole Ø 21,5 mm
thickness 6,0 mm



Fontana nr.: 90032

Original nr.:


Toothed blade for vertical systems
3 x hole Ø 19,5 mm
thickness 5,0 / 6,0 mm



Fontana nr.: 90178

Original nr.:

Toothed blade for vertical systems
3 x countersunk hole Ø 11 mm
thickness 6,0 mm



Fontana nr.: 90179

Original nr.:


Toothed blade for vertical systems
3 x countersunk hole Ø 11 mm
thickness 6,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063


E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.: 90011
Original nr.:

Description:
Bent blade right
holes dimension Ø 6,5 mm




Fontana nr.: 90011-1
Original nr.:

Bent blade left
holes dimension Ø 6,5 mm




Fontana nr.: 90011/8,5
Original nr.:

Bent blade right
holes dimension Ø 8,5 mm




Fontana nr.: 90011-1/8,5
Original nr.:

Bent blade left
holes dimension Ø 8,5 mm



Fontana nr.: 90012
Original nr.: 244790436

Bent blade
Holes dimension Ø 8,0 mm
thickness 3,0 mm



Fontana nr.: 90023
Original nr.: 244790102

Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm


SEKO

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90023-1

Original nr.:

Description:
Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90035

Original nr.: 244790541


SEKO star
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90060

Original nr.: 244790574


SEKO star II.
Square hole 16 x 16 mm
thickness 8,0 mm



Fontana nr.: 90061

Original nr.: 24479032


SEKO star III.
Square hole 16,5 x 16,5 mm
thickness 8,0 mm



Fontana nr.: 90089 T
90050

Original nr.: 244790033
244790030

Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90051

Original nr.: 244790600

Toothed blade for vertical systems
thickness 6,0 mm


SEKO

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.:
90294

Original nr.:


Description:
SEKO star - pressed teeth
Square hole 11 x 11 mm
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90007/6,5

Original nr.:
CL07.027

Description:
Straight blade
Holes dimension 2 x Ø 6,5 mm
thickness 3,0 mm



Fontana nr.:
90009/6,5

Original nr.:
CL 07.026

Bent blade
Holes dimension 2 x Ø 6,5 mm
thickness 3,0 mm




Fontana nr.:
90041
90041-1

Original nr.:

Toothed blade, 2 or 3 holes,
Holes dimension: 18 x 13 mm
thickness 5,0 mm


90041: right (picture)
90041-1: left



Fontana nr.:
90001
90001 / 8,5

Original nr.:
CL 07.040


Straight blade
Holes dimension Ø 6,5 mm / 8,5 mm
Holes distance - 30 mm
Thickness 3,0 mm



Fontana nr.:
90002

Original nr.:
CL 07.041

Bent blade
Type: right / left / center
Holes dimension Ø 6,5 mm
thickness 3,0 mm



Fontana nr.:
90125

Original nr.:
CL 04.014

Toothed blade
Holes dimension: 18 x 13 mm
thickness 5,0 mm


SGARIBOLDI

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90126

Original nr.:
CL 04.008

Description:
Toothed blade
Holes dimension: 18 x 13 mm
thickness 5,0 mm




Fontana nr.:
90128
90128 T

Original nr.:
CL 07.006

Straight blade - right

The blade is standardly provided with tungstene layer on the back side

---




Fontana nr.:
90129
90129 T

Original nr.:
CL 07.023

Bent blade - right

The blade is standardly provided with tungstene layer on the back side

---




Fontana nr.:
90130
90130 T

Original nr.:
CL 07.007

Straight blade - left

The blade is standardly provided with tungstene layer on the back side

---




Fontana nr.:
90131
90131 T

Original nr.:
CL 04.024

Bent blade - left

The blade is standardly provided with tungstene layer on the back side

---



Fontana nr.:
90134

Original nr.:
CL 00.001A

Toothed blade
Holes dimensions: Ø 13 mm
thickness 6,0 mm

SGARIBOLDI

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90135

Original nr.:
CL 04.016

Description:
Semicircle toothed blade
thickness: 8,0 mm




Fontana nr.:
90232
90232 / 8,5

Original nr.:
CL 07.001

Bent blade right
Holes dimension Ø 6,5 mm / 8,5 mm
thickness 4,0 mm

Used for self-propelled wagons



Fontana nr.:
90231
90231 / 8,5

Original nr.:
CL 07.002

Bent blade left
Holes dimension Ø 6,5 mm / 8,5 mm
thickness 4,0 mm

Used for self-propelled wagons


SGARIBOLDI

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.:
90105
90106

Original nr.:
16800030
16800030T

Description:
Bent blade
Holes dimension 2 x Ø 8,5 mm
thickness 4,0 mm

90106 : blade with tungstene layer



Fontana nr.:
90021

Original nr.:
16800020

Round blade
Square hole 11 x 11 mm
thickness 5,0 mm




Fontana nr.:
90022

Original nr.:
16800014

Toothed blade


Square hole 11 x x11 mm
thickness 5,0 mm



Fontana nr.:
90036

Original nr.:
1000016


Semicircular straight blade
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.:
90036-1

Original nr.:
16800133

Semicircular straight blade
Teardrop round holes Ø 12 »8 mm
Square holes 11 x 11 mm
thickness 5,0 / 6,0 mm



Fontana nr.:
90030
90030-1

Original nr.:
16800046
16800045

Toothed blade
Type : left / right
Square holes 12 x 12 mm
thickness 5,0 mm


90030 : right
90030-1: left (picture)

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90001

Original nr.: 16800008


Description:
Straight blade
Holes dimension Ø 6,5 mm
Holes distance - 30 mm
Thickness 3,0 mm



Fontana nr.: 90003

Original nr.: 16800026


Straight blade
Holes dimension 6 x 6,25 mm
thickness 3,0 mm



Fontana nr.: 90014

Original nr.: 16800013


Bent blade right
Holes dimension Ø 6,5 mm
thickness 3,0 mm



Fontana nr.: 90013

Original nr.: 16800012

Bent blade left
Holes dimension Ø 6,5 mm
thickness 3,0 mm




Fontana nr.: 90103
90104

Original nr.: 16800029
16800029T

Straight blade
Holes dimension 2 x Ø 8,5 mm
thickness 5,0 mm

90104: blade with tungstene layer



Fontana nr.: 90058
90058-1

Original nr.: 16800059
16800058

Toothed blade
Type: left / right
Teardrop round hole Ø 12 »8 mm
thickness 5,0 mm


90058: right
90058-1: left (picture)

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90037

Original nr.: 16800039


Description:
Semicircular straight blade
Square holes 12 x 12 mm
thickness 5,0 mm



Fontana nr.: 90059

Original nr.: 16800061

Semicircular straight blade
Teardrop round hole Ø 12 »8 mm
thickness 5,0 mm




Fontana nr.: 90067

Original nr.:

Toothed blade for vertical systems
thickness 6,0 mm

version with tungsten-carbide layer




Fontana nr.: 90068

Original nr.: 168000401

Toothed blade for vertical systems
thickness 6,0 mm

version with tungsten-carbide layer



Fontana nr.: 90032
90032 T

Original nr.: 16800045

Toothed blade for vertical systems
3 x hole Ø 19,5 mm
thickness 5,0 / 6,0 mm

Version with tungsten layer



Fontana nr.: 90182

Original nr.: 16800139

Toothed blade
Teardrop round hole Ø 12 »8 mm
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.: 10000485

Original nr.: 10000485

Description:
Counter-knife
Thickness 4,0 mm




Fontana nr.: 90207, 90207T

Original nr.: 16800166, 16800162

Toothed blade for vertical systems


Version with tungsten layer



Fontana nr.: 90203

Original nr.: 1680017


Toothed blade for vertical systems
thickness 5,0 mm
2 x hole 11 x 30 mm



Fontana nr.: 90204

Original nr.: 1680033


Toothed blade for vertical systems
thickness 5,0 mm
Hole 11 x 30 mm
2 x hole Ø 12,5 mm



Fontana nr.: 90032.23.01P

Original nr.: 16800155

Toothed blade for vertical systems
thickness 6,0 mm
Version with tungsten layer



Fontana nr.: 90220

Original nr.: 16800129

Straight blade
Holes dimension 2x ø8,5 mm
thickness 4,0 mm
Version with tungsten layer

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.:
90303

Original nr.:
16800171

Description:
Toothed blade
Teardrop round hole Ø 12 »8 mm
thickness 5,0 mm



Fontana nr.:
90305

Original nr.:
16800177


Toothed blade for horizontal systems
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90023

Original nr.: 21803501


Description:
Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90023-1

Original nr.:


Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90023-2

Original nr.: 60503500


Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: 90023/12,5

Original nr.:

Square straight blade
Round hole Ø 12,5 mm
thickness 5,0 mm




Fontana nr.: 90119

Original nr.: 60103504

Toothed blade for vertical systems
thickness 5,0 mm

3 x countersunk hole Ø 20 mm
1 x countersunk hole Ø 11 mm



Fontana nr.: 90174

Original nr.: 60903509

Toothed blade for vertical systems
thickness 8,0 mm

3 x hole Ø 18 mm
1 x countersunk hole Ø 11 mm


STRAUTMANN

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES




Fontana nr.:
90123
90123/O

Original nr.:
60103501

Description:
Toothed blade for vertical systems
thickness 8,0 mm

version with tungsten-carbide layer

90123/O: opposite blade




Fontana nr.:
90183

Original nr.:
60903500

Toothed blade for vertical systems
thickness 8,0 mm

version with tungsten-carbide layer



Fontana nr.:
90256R
90256L

90256TR
90256TL

Original nr.:
60603503
60603502

Toothed blade for horizontal systems


versions with tungstene-carbide layer

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

FEED MIXER KNIVES



Fontana nr.: 90063

Original nr.: 121803501


Description:
Toothed blade for vertical systems
3 x hole Ø 19 mm
1 x hole Ø 12 mm
thickness 6,0 mm



Fontana nr.: 90064

Original nr.: MR 09006

Toothed blade for horizontal systems
thickness 5,0 mm



Fontana nr.: 90119

Original nr.:


Toothed blade for vertical systems
thickness 5,0 mm
3 x countersunk hole Ø 20 mm
1 x countersunk hole Ø 11 mm



Fontana nr.: 90219

Original nr.:

Counter-knife




Fontana nr.: 90311

Original nr.: 59720

Straight blade
Holes dimension Ø 8 mm
thickness 3,0 mm

Hight - 74 mm



Fontana nr.: 90317

Original nr.: SC1105


Bent blade
3 square holes dimension 14x14 mm
thickness 5,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90062

Original nr.: 31841


Description:
Toothed blade for vertical systems
2 x hole Ø 12 mm
1 x hole Ø 10 mm
thickness 6,0 mm / 8,0 mm



Fontana nr.: 90122

Original nr.:

Toothed blade for vertical systems
2 x hole Ø 18 mm
1 x hole Ø 8 mm
thickness 8,0 mm



Fontana nr.: 90184

Original nr.: 31639

Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90271

Original nr.: 05819 / 32354

Toothed blade for vertical systems
thickness 6,0 mm - bent

Availability subject to patent restriction




Fontana nr.: 90272

Original nr.: 05946 / 32756

Toothed blade for vertical systems
thickness 6,0 mm - bent

Availability subject to patent restriction



Fontana nr.: 90004

Original nr.:

Straight blade
Holes dimension 2 x Ø 8 mm
thickness 3,0 mm

TRIOLIET

ROTOMIX 32

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: **90039**

Original nr.:


Description:
Straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: **90016**

Original nr.:


Straight blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm



Fontana nr.: **90017**

Original nr.:


Bent blade
Holes dimension Ø 6,5 mm
thickness 3,0 mm



Fontana nr.: **90012**

Original nr.:


Bent blade
Holes dimension Ø 8,0 mm
thickness 3,0 mm



Fontana nr.: **90023**

Original nr.:

Square straight blade
Square hole 11 x 11 mm
thickness 5,0 mm



Fontana nr.: **90060.02.03**

Original nr.:

2 square holes 13x15 mm
thickness 10,0 mm


ZAGO

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk


FEED MIXER KNIVES



Fontana nr.: 90107

Original nr.:

Description:
Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90115

Original nr.:


Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90124

Original nr.:


Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90048

Original nr.:
210CV50


Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90049

Original nr.:
210CV70

Toothed blade for vertical systems
thickness 6,0 mm



Fontana nr.: 90114

Original nr.:

Toothed blade for vertical systems
thickness 6,0 mm

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk

SUPPORTS

Various types









Fontana nr.:	Description:
1-E-00	Universal support for 90032/90034
1-E-01	Support for blade 90034
1-E-03	Support for blade Eurocomp
1-E-04	Support for blade 90031
1-E-05	Support for blade 90032
1-E-06	Support for blade 210CV25
1-E-07	Support for blade 90055
1-E-08	Support for blade 90057
1-E-09	Support for blade 90032/ITALMIX
1-E-10	Support for blade 90049
1-E-11	Support for blade 90056
1-E-12	Support for blade 90062
1-E-13	Support for blade 90054
1-E-14	Support for blade 90167
1-E-17	Support for blade 90051
1-E-33 / 1-E-33.01	Support for blade 90183- 60903205
1-E-36	Support for blade 90091 - A 536518
1-E-37.01	Support for blade 90174-60903206
1-E-41	Support for blade 90032.23-16140201
1-E-42	Support for blade 90207 - 16141174

Address:
Mokraď 498, 026 01 Dolný Kubín,
Slovak Republic

Phone: +421 43 5864064
Fax: +421 43 5864063

E-mail: export@fontana-dk.sk
sales@fontana-dk.sk
Web: www.fontana-dk.sk